



FORMAT OF CERTIFICATE TO BE ISSUED BY THE DISTRICT EDUCATION OFFICER IN RESPECT OF SCHOOLS ALREADY AFFILIATED WITH THE BOARD AND SEEKING EXTENSION/UPGRADATION OF AFFILIATION WITH THE CENTRAL BOARD OF SECONDARY EDUCATION

(In accordance with School Safety Policy, 2016 issued by the NDMA, Manual on Safety and Security of Children in Schools developed by NCPCR and the National Building Code)

PART-A

(This part is to be filled-up by the school and to be produced before the District Education Officer along with all supporting documents and certificates in original)

	RAL INFORMATION	1030412
1	Affiliation Number allotted by CBSE to the school:	Hema Hy See School
2	Name of the School as per affiliation letter of CBSE:	,
3	Address of the School:	D-sect Security lines &
4	Standard/level/class up to which the school is running:	From Classof to Class /
5	Is the name and address of school in CBSE affiliation letter and State NOC/Recognition/U-DISE same exactly the same	CYES/NO
6	U-DISE code allotted to the school:	23320302910
7	Name and address of the Trust/Society/ Company(under section-8) running the School as on date	Frema Education Society
8	Is the Trust/Society/ Company duly registered with the competent registering authority and the registration is valid as on date?	YES/NO
9	Purpose of present application:	Lextension/
		Upgradation
10	Location of school	In the municipal limits of metropolitan city In the municipal limits of city having population more than 15 Lakhs
	and the property of the second state of the se	 In the hill areas (as per planning commission norms)
	Propries and electronic committee of the	In the municipal limits of capital city of a state
		In the municipal
		limits of class-x cities
		On an island In the municipal
	The place of the service of the serv	limits of a hill station
		• In the municipal limits
	+	of city having

PRINCIPAL HEMA HR. SEC. SCHOOL (SIBNE OF Principal) 417 GOYINDURA, BHEL, BHOPAL-23 Public Instruction

Phopal Division Bhopal (M.P.)

(Signature of D.E.O.)



APPENDIX-III

		population less than 15 Lakhs Outside the municipal limits of any town/city.
10	Has the school obtained Recognition Certificate from the State Government from class-1 to 8 th ?	YES/NO
11	Number of Recognition Certificate from class-1 to 8 th and date of issue:	3221122022 Dt 31/3/2019
12	Is the School affiliated to any other board besides CBSE for Class-X or XII .examinations?	YES/NO (If yes name of the Board)
		(Also mention whether the school is affiliated for Class-X or XII)
INFORI	MATION REGARDING LAND DETAILS AND OWNERSHIP	EWES States -
13	Is the school situated on a single contiguous plot of land bounded on all sides by a Pucca Boundary Wall?	YES/NO
14	Are both the School and the Play Ground situated in a single compound bounded by a single continuous Boundary Wall on all sides?	YES/NO
15	Total area (in square meters) in respect of 13 and 14 above on which the school is situated:	AREA IN SQ.M. 16090 Sg mts
16	The land is in the possession of the school/ Trust/Society/Company legally by way of:	Sale deed/Lease deed/Gift Deed/Allotment, etc. Cicenced deed
17	Name of the Owner/Lessee of the land in respect of point-16 above:	Hema Edu Oalian So
18	In case the land is in the possession of the society/school by way of lease as per State Government norms, the period of the lease:	FROM TO TOTAL YEARS
19	Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-15 above?	YES/NO If yes the details
INFOR	MATION REGARDING ESSENTIAL SAFETY REQUIREMENTS	
20	Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?	YES/NO
20(a)	If yes the date of last inspection:	9.12-2020
21	Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?	₩YES/NO
21(a)	If yes the date of last inspection:	09-19-2020
22	Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	VES/NO
	Sussidiated A and the fracer has been round sure for similaring.	

PRINCIPAL HEMA HR. SEC. SCHOOL CRSE AFFL. No. 1030417 GOVIENDATIVE, OF ECINCIPAL 23

JOINT DIRECTOR

Public Instruction

Bhopal Division Bhopal (M.P.)

(Signature of D.E.O.)

APPENDIX-III

If yes the date of the	APPENDIX-III		
MATION process	01/11/2		
WATION REGARDING THE STAFF	01/n/2020		
Does the school have well defined service rules and conditions for its employees as per prevalent norms of appropriets.	YES/NO		
Is the school paying salament?			
Is the salary to the tool	YES/NO		
(Payment by cheque or cash to the individual state of the school being	YES/NO		
Signature with Stamp \ and	YES/NO		
(of School Manager) Signature with			
EMA EDUCATION CONTROL HEMA	cipal)		
is is to certify the second of issuance 23 - 1-	2021		
he set	ation has been found		
school recommended for extension/upgradation of affiliation 2			
	YES/NO		
V 0/	asion/upgradation		
(Name and the	ip of Issuing DEO)		
	OI DISTRICT		
	\		
	ounter Signature		
C	ounter Signature		
	*		
(Name, Designate DISTRICT COLLECTOR/DEPUTY OF	tion and Stamp)		
(Name, Designate DISTRICT COLLECTOR/DEPUTY Control of his authorised recommendation)	tion and Stamp) COMMISSIONER epresentative*)		
	(of School Print (of School Print (Print Print P		

PRINCIPAL
HEMA HR. SEC. SCHOOL
CPS prature No 1030417
GOVINDPUNA, CHEL, TUDAL 23

JOINT DIRECTOR

Pu(Signature of DrE.O.)

Shopal Division Bhopal (M.P.)